

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--|-----------------|----------------------|------------------------|------------------|
| 10/796,300 | 03/10/2004 | Masanori Sato | 044499-0204 | 9116 |
| 22428 EOLEV AND | 7590 02/29/2008 | | EXAMINER | |
| FOLEY AND LARDNER LLP SUITE 500 | | | ANYIKIRE, CHIKAODILI E | |
| 3000 K STREET NW WASHINGTON, DC 20007 | | | ART UNIT | PAPER NUMBER |
| *************************************** | , 20 2000. | | 2621 | |
| | , | | | · |
| | | | MAIL DATE | DELIVERY MODE |
| | | | 02/29/2008 | PAPER |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

| | | Application No. | Applicant(s) | | |
|---|--|---|--|--|--|
| Office Action Summary | | 10/796,300 | SATO ET AL. | | |
| | | Examiner | Art Unit | | |
| | | Chikaodili E. Anyikire | 2621 | | |
| Period fo | The MAILING DATE of this communication app or Reply | ears on the cover sheet with the c | orrespondence address | | |
| A SH WHIC - Exter after - If NC - Failu Any | ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DANS IN THE MAILING DANS IN THE MAILING DANS IN (6) MONTHS from the mailing date of this communication. In period for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b). | ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE | N. nely filed the mailing date of this communication. D (35 U.S.C. § 133). | | |
| Status | | | | | |
| 2a)⊠ | Responsive to communication(s) filed on <u>05 De</u> This action is FINAL 2b) This Since this application is in condition for allowan closed in accordance with the practice under E | action is non-final. | | | |
| Dispositi | on of Claims | | | | |
| 5)□ 6)⊠ 7)□ | Claim(s) <u>1-16</u> is/are pending in the application. 4a) Of the above claim(s) <u>10 and 15</u> is/are without Claim(s) is/are allowed. Claim(s) <u>1-9,11-14 and 16</u> is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or | · | | | |
| Applicati | on Papers | | | | |
| 10)⊠ | The specification is objected to by the Examiner The drawing(s) filed on 10 March 2004 is/are: a Applicant may not request that any objection to the CREPIACEMENT AREA REPLACEMENT TO BE SENTED TO BE SENTENDED TO BE SENTENDE | a) \square accepted or b) \square objected to drawing(s) be held in abeyance. See on is required if the drawing(s) is obj | e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d). | | |
| Priority u | ınder 35 U.S.C. § 119 | | | | |
| 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. | | | | | |
| Attachmen | t(s) | | | | |
| 2) Notic 3) Inform | e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date | 4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other: | ite | | |

DETAILED ACTION

Response to Arguments

- 1. Applicant's arguments filed on December 05, 2007 with respect to amended claims 1-9, 11-14, and 16 have been fully considered but they are not persuasive.
- 2. The applicant argues that Nichani does not teach selecting a plurality of mobile objects in increasing order of a distance from a dangerous source when the mobile objects are in number more than a predetermined value in a monitoring target region.

 The examiner respectfully disagrees. Nichani discloses using parameters and one being distance and discloses a predetermined number within a certain protection region of the view angle zone region (Fig 10, Col 22 Col 23 Ln 30).
- 3. The applicant argues that the Office Action does not teach a process for monitoring only the mobile objects existing in the warning region when the total number of the mobile objects existing in the warning target region is more than a predetermined value (Amendment of December 05, 2007, Pg 7, Ln 18-22). The examiner respectfully disagrees. Lehner et al disclose detecting mobile object in a warning region based on an evaluation unit (paragraph [0050]-[0053]).

A detailed description of the newly amended claims follows.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

invention was made to a person having ordinary skill in the art to which said subject matter pertains.

Patentability shall not be negatived by the manner in which the invention was made.

- 5. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 6. Claims 1-3, 10-11, and 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Lehner et al (US 2001/0041077) in view of Nichani et al (US 6,829,371).

As per claim 1, Lehner et al disclose an intruding object monitoring system comprising:

a camera (Fig 2, 5) mounted on a position so as to look down a monitoring target region (Fig 3, 6) including a dangerous source (Fig 2, 1 and 2; [0039]-[0041]); and

an information processing apparatus (evaluation unit) performing information processes for monitoring an intruding object based on a monitoring target region image taken by the camera ([0043] and [0044]),

wherein a mounting position of the camera is determined so that the dangerous source is shown at a peripheral part of a viewing field of the camera ([0041] and [0044]),

wherein the information processes for monitoring the intruding object performed in the information processing apparatus comprises a process for monitoring only the mobile objects whose number is a predetermined value and which are selected in increasing order of a distance from the dangerous source when the mobile objects whose number is more than the predetermined value intrude into the monitoring target region (Fig 10, Col 22 – Col 23 Ln 30).

As per claim 2, Lehner et al disclose an intruding object monitoring system comprising:

a camera (Fig 2, 5) mounted on a position so as to look down a monitoring target region (Fig 3, 6) including a dangerous source ([0039]-[0041]); and

an information processing apparatus (evaluation unit) performing information processes for monitoring an intruding object based on a monitoring target region image taken by the camera ([0043] and [0044]),

wherein the dangerous source can be set only at a peripheral part of a viewing field of the camera ([0041] and [0044]),

wherein the information processes for monitoring the intruding object performed in the information processing apparatus comprises a process for monitoring only the mobile objects whose number is a predetermined value and which are selected in increasing order of a distance from the dangerous source when the mobile objects

10/796,300 Art Unit: 2621

whose number is more than the predetermined value intrude into the monitoring target region (Fig 10, Col 22 – Col 23 Ln 30).

As per **claim 3**, Lehner et al disclose the intruding object monitoring system according to claim 1, wherein the information processes for monitoring the intruding object performed in the information processing apparatus comprises a process for determining that a mobile object intrudes into a warning region (Fig 3, 7) set in the vicinity of the dangerous source, by comparing a mobile object position in the monitoring target region image to a warning region position (Fig 3, 7) in the monitoring target region (Fig 3, 6) image on an image ([0051]-[0054] and [0081]).

Regarding **claim 11**, arguments analogous to those presented for claim 3 are applicable to claim 11.

Regarding **claim 15**, arguments analogous to those presented for claim 10 are applicable to claim 15.

As per **claim 16**, Nichani disclose the intruding object monitoring system according to claim 5, wherein the information processes for monitoring the intruding object performed in the information processing apparatus comprises a process for allowing an audible and /or visual output of the warning which was held up when at least one part of the mobile object is lost in sight in the warning region, only after a manual resetting operation has been made (Col 12 Ln 7-34).

10/796,300 Art Unit: 2621

7. Claims 4-6, 9, 12, and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lehner et al (US 2001/0041077) in view of Nichani et al (US 6,829,371) in further view of Braune (US 2003/0076224).

As per claim 4, Lehner et al disclose the intruding object monitoring system according to claim 1, wherein the information processes for monitoring the intruding object performed in the information processing apparatus comprises a process for immediately generating a warning in a case where a mobile object intrudes into a warning region (Fig 3, 8) existing in the vicinity of the dangerous source ([0044] and [0051]-[0054]).

However, Lehner does not explicitly teach for generating a warning only when speed of the mobile object toward the dangerous source exceeds a predetermined value in a case where the mobile object intrudes into the warning target region existing in the vicinity of the warning region.

In the same field of endeavor, Braune teaches for generating a warning only when speed of the mobile object toward the dangerous source exceeds a predetermined value in a case where the mobile object intrudes into the warning target region existing in the vicinity of the warning region ([0026] and [0036]).

Therefore, it would have been obvious for one having skill in the ordinary art at the time of the invention to modify the invention of Lehner et al with the invention of Braune. The advantage is the invention of Braune provides a means by which the safety of a machine operator continues to be ensured.

10/796,300 Art Unit: 2621

Regarding **claim 5**, arguments analogous to those presented for claim 4 are applicable to claim 5.

As per claim 6, Lehner et al disclose the intruding object monitoring system according to claim 4, wherein the information process for monitoring the intruding object performed in the information processing apparatus comprises a process for continuously generating the warning until the mobile object which intruded into the warning region (Fig 3, 8) existing in the vicinity of the dangerous source moves out of the warning region (Fig 3, 8), while for holding up the warning when at least one part of the mobile object is lost in sight in the warning region and has not been determined to have moved out of the warning region (Lehner, Fig 3, 8; [0052] and [0053]).

As per claim 9, Lehner et al disclose the intruding object monitoring system according to claim 4, wherein the information processes for monitoring the intruding object performed in the information processing apparatus comprises a process for monitoring only the mobile objects existing in the warning region when the total number of the mobile objects existing in the warning region and the number of the mobile objects existing in the warning target region is more than a predetermined value, wherein the predetermined value is greater than one, and wherein the total number of the mobile objects existing in the warning target region is one or more ([0050]-[0053]).

Regarding **claim 12**, arguments analogous to those presented for claim 6 are applicable to claim 12.

Regarding **claim 14**, arguments analogous to those presented for claim 9 are applicable to claim 14.

8. Claims 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Lehner et al (US 2001/0041077) in view of Nichani et al (US 6,829,371) in further view of Braune (US 2003/0076224) in further view of Cofer et al (US 7,200,246).

As per **claim 7**, the modified invention of Lehner et al disclose the intruding object monitoring system according to claim 6, wherein the information processes for monitoring the intruding object performed in the information processing apparatus comprises a process for allowing a reset of the warning which was held up when at least one part of the mobile object is lost in sight in the warning region (Braune, [0018] Ln 12-17).

However, the modified invention of Lehner et al does not explicitly teach only by a manual resetting operation.

In the same field of endeavor, Cofer et al teach only by a manual resetting operation (Fig 14, 564; Col 11 Ln 48-59).

Therefore, it would have been obvious for one having skill in the ordinary art at the time of the invention to modify the modified invention of Lehner et al with the invention of Cofer et al. This is a well-known configuration in the relevant art for providing the capability of manual resetting of the system.

10/796,300 Art Unit: 2621

9. Claims 8 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lehner et al (US 2001/0041077) in view of Nichani et al (US 6,829,371) in further view of Braune (US 2003/0076224) in further view of Puchek et al (US 6,504,470).

As per claim 8, the modified invention of Lehner et al disclose the intruding object monitoring system according to claim 4, wherein the information processes for monitoring the intruding object performed in the information processing apparatus comprises a process for immediately generating the warning and then holding up the warning (Lehner, Fig 3, 8; [0052] and [0053]).

However, the modified invention of Lehner et al does not explicitly teach when the mobile objects whose number is more than a predetermined value intrude into the monitoring target region.

In the same field of endeavor, Puchek et al teach when the mobile objects whose number is more than a predetermined value intrude into the monitoring target region (Col 8 Ln 33-56).

Therefore, it would have been obvious for one having skill in the ordinary art at the time of the invention to modify the modified invention of Lehner et al with the invention of Puchek et al. It is well known in the art to keep track of moving objects in a detection system to prevent the access by unauthorized personnel.

Regarding **claim 13**, arguments analogous to those presented for claim 8 are applicable to claim 13.

10/796,300 Art Unit: 2621

Conclusion

10. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chikaodili E. Anyikire whose telephone number is (571) 270-1445. The examiner can normally be reached on Monday to Friday, 7:30 am to 5 pm, EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marsha D. Banks-Harold can be reached on (571) 272 - 7905. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

CEA

